

A Brief Python Tutorial

Sven H. Chilton
University of California - Berkeley

LBL Heavy Ion Fusion Group Talk
16 August, 2007

Sven Chilton, 2007

A Brief Python Tutorial 1

Outline

Why Use Python?
Running Python
Types and Operators
Basic Statements
Functions
Scope Rules (Locality and Context)
Some Useful Packages and Resources

Sven Chilton, 2007

A Brief Python Tutorial 2

Why Use Python? (1)

Python is object-oriented

- Structure supports such concepts as polymorphism, operation overloading, and multiple inheritance

It's free (open source)

- Downloading and installing Python is free and easy
- Source code is easily accessible
- Free doesn't mean unsupported! Online Python community is huge

It's portable

- Python runs virtually every major platform used today
- As long as you have a compatible Python interpreter installed, Python programs will run in exactly the same manner, irrespective of platform

It's powerful

- Dynamic typing
- Built-in types and tools
- Library utilities
- Third party utilities (e.g. Numeric, NumPy, SciPy)
- Automatic memory management

Sven Chilton, 2007

A Brief Python Tutorial 3

Why Use Python? (2)

It's mixable

- Python can be linked to components written in other languages easily
 - Linking to fast, compiled code is useful to computationally intensive problems
 - Python is good for code steering and for merging multiple programs in otherwise conflicting languages
- Python/C integration is quite common
- WARP is implemented in a mixture of Python and Fortran

It's easy to use

- Rapid turnaround: no intermediate compile and link steps as in C or C++
- Python programs are compiled automatically to an intermediate form called *bytecode*, which the interpreter then reads
- This gives Python the development speed of an interpreter without the performance loss inherent in purely interpreted languages

It's easy to learn

- Structure and syntax are pretty intuitive and easy to grasp

Sven Chilton, 2007

A Brief Python Tutorial 4

Running Python (1)

In addition to being a programming language, Python is also an interpreter.

The interpreter reads other Python programs and commands, and executes them. Note that Python programs are compiled automatically before being scanned into the interpreter. The fact that this process is hidden makes Python faster than a pure interpreter.

How to call up a Python interpreter will vary a bit depending on your platform, but in a system with a terminal interface, all you need to do is type "python" (without the quotation marks) into your command line.

Example:

From here on, the \$ sign denotes the start of a terminal command line, and the # sign denotes a comment. Note: the # sign denotes a comment in Python. Python ignores anything written to the right of a # sign on a given line
\$ python # Type python into your terminal's command line
>>> # After a short message, the >>> symbol will appear. This signals
the start of a Python interpreter's command line

Sven Chilton, 2007

A Brief Python Tutorial 5

Running Python (2)

Once you're inside the Python interpreter, type in commands at will.

Examples:

```
>>> print 'Hello world'
Hello world
# Relevant output is displayed on subsequent lines without the >>>
symbol
>>> x = [0,1,2]
# Quantities stored in memory are not displayed by default
>>> x
# If a quantity is stored in memory, typing its name will display it
[0,1,2]
>>> 2+3
5
>>> # Type ctrl-D to exit the interpreter
$
```

Sven Chilton, 2007

A Brief Python Tutorial 6

A Brief Python Tutorial 7

A Brief Python Tutorial 8

A Brief Python Tutorial 9

A Brief Python Tutorial 10

A Brief Python Tutorial 11

A Brief Python Tutorial 12

Types and Operators: Operations on Numbers

Basic algebraic operations

- Four arithmetic operations: $a+b$, $a-b$, $a*b$, a/b
- Exponentiation: $a**b$
- Other elementary functions are not part of standard Python, but included in packages like NumPy and SciPy

Comparison operators

- Greater than, less than, etc.: $a < b$, $a > b$, $a \leq b$, $a \geq b$
- Identity tests: $a == b$, $a != b$

Bitwise operators

- Bitwise or: $a | b$
- Bitwise exclusive or: $a \wedge b$ # Don't confuse this with exponentiation
- Bitwise and: $a \& b$
- Shift a left or right by b bits: $a \ll b$, $a \gg b$

Other

- Not surprisingly, Python follows the basic PEMDAS order of operations
- Python supports mixed-type math. The final answer will be of the most complicated type used.

Sven Chilton, 2007

A Brief Python Tutorial 13

Types and Operators: Strings and Operations Thereon

Strings are ordered blocks of text

- Strings are enclosed in single or double quotation marks
- Double quotation marks allow the user to extend strings over multiple lines without backslashes, which usually signal the continuation of an expression
- Examples: `'abc'`, `"ABC"`

Concatenation and repetition

- Strings are concatenated with the `+` sign:

```
>>> 'abc'+'def'
'abcdef'
```

- Strings are repeated with the `*` sign:

```
>>> 'abc'*3
'abccabccabc'
```

Sven Chilton, 2007

A Brief Python Tutorial 14

Types and Operators: Indexing and Slicing (1)

Indexing and slicing

- Python starts indexing at 0. A string s will have indexes running from 0 to $\text{len}(s)-1$ (where $\text{len}(s)$ is the length of s) in integer quantities.

- $s[i]$ fetches the i th element in s

```
>>> s = 'string'
>>> s[1] # note that Python considers 't' the first element
't'      # of our string s
```

- $s[i:j]$ fetches elements i (inclusive) through j (not inclusive)

```
>>> s[1:4]
'tri'
```

- $s[:j]$ fetches all elements up to, but not including j

```
>>> s[:3]
'str'
```

- $s[i:]$ fetches all elements from i onward (inclusive)

```
>>> s[2:]
'ring'
```

Sven Chilton, 2007

A Brief Python Tutorial 15

Types and Operators: Indexing and Slicing (2)

Indexing and slicing, contd.

- $s[i:j:k]$ extracts every k th element starting with index i (inclusive) and ending with index j (not inclusive)

```
>>> s[0:5:2]
'srn'
```

- Python also supports negative indexes. For example, $s[-1]$ means extract the first element of s from the end (same as $s[\text{len}(s)-1]$)

```
>>> s[-1]
'g'
```

```
>>> s[-2]
'n'
```

- Python's indexing system is different from those of Fortran, MatLab, and Mathematica. The latter three programs start indexing at 1, and have inclusive slicing, i.e. the last index in a slice command is included in the slice

Sven Chilton, 2007

A Brief Python Tutorial 16

Types and Operators: Lists

Basic properties:

- Lists are contained in square brackets `[]`
- Lists can contain numbers, strings, nested sublists, or nothing
- Examples: $L1 = [0,1,2,3]$, $L2 = ['zero', 'one']$, $L3 = [0,1,[2,3], 'three', ['four', 'one']]$, $L4 = []$
- List indexing works just like string indexing
- Lists are mutable: individual elements can be reassigned in place. Moreover, they can grow and shrink in place

- Example:

```
>>> L1 = [0,1,2,3]
>>> L1[0] = 4
>>> L1[0]
4
```

Sven Chilton, 2007

A Brief Python Tutorial 17

Types and Operators: Operations on Lists (1)

Some basic operations on lists:

- Indexing: $L1[i]$, $L2[i][j]$

- Slicing: $L3[i:j]$

- Concatenation:

```
>>> L1 = [0,1,2]; L2 = [3,4,5]
>>> L1+L2
```

```
[0,1,2,3,4,5]
```

- Repetition:

```
>>> L1*3
[0,1,2,0,1,2,0,1,2]
```

- Appending:

```
>>> L1.append(3)
[0,1,2,3]
```

- Sorting:

```
>>> L3 = [2,1,4,3]
>>> L3.sort()
[1,2,3,4]
```

Sven Chilton, 2007

A Brief Python Tutorial 18

Types and Operators: Operations on Lists (2)

More list operations:

Reversal:

```
>>> L4 = [4,3,2,1]
>>> L4.reverse()
>>> L4
```

```
[1,2,3,4]
```

Shrinking:

```
>>> del L4[2]
>>> Lx[i:j] = []
```

Index and slice assignment:

```
>>> L1[1] = 1
>>> L2[1:4] = [4,5,6]
```

Making a list of integers:

```
>>> range(4)
[0,1,2,3]
>>> range(1,5)
[1,2,3,4]
```

Sven Chilton, 2007

A Brief Python Tutorial 19

Types and Operators: Tuples

Basic properties:

- Tuples are contained in parentheses ()
- Tuples can contain numbers, strings, nested sub-tuples, or nothing
- Examples: `t1 = (0,1,2,3)`, `t2 = ('zero', 'one')`, `t3 = (0,1,(2,3),'three',('four,one'))`, `t4 = ()`
- As long as you're not nesting tuples, you can omit the parentheses
- Example: `t1 = 0,1,2,3` is the same as `t1 = (0,1,2,3)`
- Tuple indexing works just like string and list indexing
- Tuples are immutable: individual elements cannot be reassigned in place.
- Concatenation:

```
>>> t1 = (0,1,2,3); t2 = (4,5,6)
```

```
>>> t1+t2
```

```
(0,1,2,3,4,5,6)
```

Repetition:

```
>>> t1*2
```

```
(0,1,2,3,0,1,2,3)
```

Length: `len(t1)` (this also works for lists and strings)

Sven Chilton, 2007

A Brief Python Tutorial 20

Types and Operators: Arrays (1)

Note: arrays are not a built-in python type; they are included in third-party packages such as Numeric and NumPy. However, they are very useful to computational math and physics, so I will include a discussion of them here.

Basic usage:

• Loading in array capabilities: *# from here on, all operations involving arrays assume you have already made this step*

```
>>> from numpy import *
```

Creating an array:

```
>>> vec = array([1,2,3])
```

Creating a 3x3 matrix:

```
>>> mat = array([[1,2,3],[4,5,6],[7,8,9]])
```

• If you need to initialize a dummy array whose terms will be altered later, the `zeros` and `ones` commands are useful; `zeros((m,n), 'typecode')` will create an m-by-n array of zeros, which can be integers, floats, double precision floats etc. depending on the type code used

Sven Chilton, 2007

A Brief Python Tutorial 21

Types and Operators: Arrays (2)

Arrays and lists have many similarities, but there are also some important differences

Similarities between arrays and lists:

- Both are mutable: both can have elements reassigned in place
- Arrays and lists are indexed and sliced identically
- The `len` command works just as well on arrays as anything else
- Arrays and lists both have `sort` and `reverse` attributes

Differences between arrays and lists:

- With arrays, the `+` and `*` signs do not refer to concatenation or repetition
- Examples:

```
>>> ar1 = array([2,4,6])
```

```
>>> ar1+2 # Adding a constant to an array adds the constant to each term
```

```
[4,6,8,] # in the array
```

```
>>> ar1*2 # Multiplying an array by a constant multiplies each term in the array by that constant
```

Sven Chilton, 2007

A Brief Python Tutorial 22

Types and Operators: Arrays (3)

More differences between arrays and lists:

- Adding two arrays is just like adding two vectors

```
>>> ar1 = array([2,4,6]); ar2 = array([1,2,3])
>>> ar1+ar2
[3,6,9,]
```

- Multiplying two arrays multiplies them term by term:

```
>>> ar1*ar2
[2,8,18,]
```

Same for division:

```
>>> ar1/ar2
[2,2,2,]
```

- Assuming the function can take vector arguments, a function acting on an array acts on each term in the array

```
>>> ar2**2
[1,4,9,]
>>> ar3 = (pi/4)*arange(3) # like range, but an array
>>> sin(ar3)
[ 0.          , 0.70710678, 1.          ,]
```

Sven Chilton, 2007

A Brief Python Tutorial 23

Types and Operators: Arrays (4)

More differences between arrays and lists:

- The biggest difference between arrays and lists is speed; it's much faster to carry out operations on arrays (and all the terms therein) than on each term in a given list.

Example: take the following script:

```
tt1 = time.clock()
sarr = 1.*arange(0,10001)/10000;
sinarr = sin(sarr)
tt2 = time.clock()
slist = []; sinlist = []
for i in range(10001):
    slist.append(1.*i/10000)
    sinlist.append(sin(slist[i]))
tt3 = time.clock()
```

Running this script on my system shows that `tt2-tt1` (i.e., the time it takes to set up the array and take the sin of each term therein) is 0.0 seconds, while `tt3-tt2` (the time to set up the list and take the sin of each term therein) is 0.26 seconds.

Sven Chilton, 2007

A Brief Python Tutorial 24

Types and Operators: Mutable vs. Immutable Types (1)

Mutable types (dictionaries, lists, arrays) can have individual items reassigned in place, while immutable types (numbers, strings, tuples) cannot.

```
>>> L = [0,2,3]
>>> L[0] = 1
>>> L
[1,2,3]
>>> s = 'string'
>>> s[3] = 'o'
Traceback (most recent call last):
  File "<stdin>", line 1, in ?
TypeError: object does not support item assignment
```

However, there is another important difference between mutable and immutable types; they handle name assignments differently. If you assign a name to an immutable item, then set a second name equal to the first, changing the value of the first name will not change that of the second. However, for mutable items, changing the value of the first name will change that of the second. An example to illustrate this difference follows on the next slide.

Sven Chilton, 2007

A Brief Python Tutorial 25

Types and Operators: Mutable vs. Immutable Types (2)

Immutable and mutable types handle name assignments differently

```
>>> a = 2
>>> b = a      # a and b are both numbers, and are thus immutable
>>> a = 3
>>> b
2
```

Even though we set b equal to a, changing the value of a does not change the value of b. However, for mutable types, this property does not hold.

```
>>> La = [0,1,2]
>>> Lb = La    # La and Lb are both lists, and are thus mutable
>>> La = [1,2,3]
>>> Lb
[1,2,3]
```

Setting Lb equal to La means that changing the value of La changes that of Lb. To circumvent this property, we would make use of the function `copy.copy()`.

```
>>> La = [0,1,2]
>>> Lb = copy.copy(La)
```

Now, changing the value of La will not change the value of Lb.

Sven Chilton, 2007

A Brief Python Tutorial 26

Basic Statements: The If Statement (1)

If statements have the following basic structure:

<pre># inside the interpreter >>> if condition: ... action ... >>></pre>	<pre># inside a script if condition: action</pre>
--	---

Subsequent indented lines are assumed to be part of the if statement. The same is true for most other types of python statements. A statement typed into an interpreter ends once an empty line is entered, and a statement in a script ends once an unindented line appears. The same is true for defining functions.

If statements can be combined with else if (elif) and else statements as follows:

```
if condition1:      # if condition1 is true, execute action1
    action1
elif condition2:    # if condition1 is not true, but condition2 is, execute
    action2          # action2
else:               # if neither condition1 nor condition2 is true, execute
    action3          # action3
```

Sven Chilton, 2007

A Brief Python Tutorial 27

Basic Statements: The If Statement (2)

Conditions in if statements may be combined using `and` & `or` statements

```
if condition1 and condition2:
```

```
    action1
```

if both condition1 and condition2 are true, execute action1

```
if condition1 or condition2:
```

```
    action2
```

if either condition1 or condition2 is true, execute action2

Conditions may be expressed using the following operations:

<, <=, >, >=, ==, !=, in

Somewhat unrealistic example:

```
>>> x = 2; y = 3; L = [0,1,2]
>>> if (1<x<=3 and 4>y>=2) or (1==1 or 0!=1) or 1 in L:
...     print 'Hello world'
...
Hello world
>>>
```

Sven Chilton, 2007

A Brief Python Tutorial 28

Basic Statements: The While Statement (1)

While statements have the following basic structure:

<pre># inside the interpreter >>> while condition: ... action ... >>></pre>	<pre># inside a script while condition: action</pre>
---	--

As long as the condition is true, the while statement will execute the action
Example:

```
>>> x = 1
>>> while x < 4:      # as long as x < 4...
...     print x**2    # print the square of x
...     x = x+1       # increment x by +1
...
1                      # only the squares of 1, 2, and 3 are printed,
because
4                      # once x = 4, the condition is false
9
>>>
```

Sven Chilton, 2007

A Brief Python Tutorial 29

Basic Statements: The While Statement (2)

Pitfall to avoid:

While statements are intended to be used with changing conditions. If the condition in a while statement does not change, the program will be stuck in an infinite loop until the user hits ctrl-C.

Example:

```
>>> x = 1
>>> while x == 1:
...     print 'Hello world'
...
```

Since x does not change, Python will continue to print "Hello world" until interrupted

Sven Chilton, 2007

A Brief Python Tutorial 30

Basic Statements: The For Statement (1)

For statements have the following basic structure:

```
for item i in set s:
    action on item i
```

item and set are not statements here; they are merely intended to clarify the relationships between i and s

Example:

```
>>> for i in range(1,7):
...     print i, i**2, i**3, i**4
...
1 1 1 1
2 4 8 16
3 9 27 81
4 16 64 256
5 25 125 625
6 36 216 1296
>>>
```

Sven Chilton, 2007

A Brief Python Tutorial 31

Basic Statements: The For Statement (2)

The item i is often used to refer to an index in a list, tuple, or array

Example:

```
>>> L = [0,1,2,3] # or, equivalently, range(4)
>>> for i in range(len(L)):
...     L[i] = L[i]**2
...
>>> L
[0,1,4,9]
>>>
```

Of course, we could accomplish this particular task more compactly using arrays:

```
>>> L = arange(4)
>>> L = L**2
>>> L
[0,1,4,9,]
```

Sven Chilton, 2007

A Brief Python Tutorial 32

Basic Statements: Combining Statements

The user may combine statements in a myriad of ways

Example:

```
>>> L = [0,1,2,3] # or, equivalently, range(4)
>>> for i in range(len(L)):
...     j = i/2.
...     if j - int(j) == 0.0:
...         L[i] = L[i]+1
...     else: L[i] = -i**2
...
>>> L
[1,-1,3,-9]
>>>
```

Sven Chilton, 2007

A Brief Python Tutorial 33

Functions (1)

Usually, function definitions have the following basic structure:

```
def func(args):
    return values
```

Regardless of the arguments, (including the case of no arguments) a function call must end with parentheses.

Functions may be simple one-to-one mappings

```
>>> def f1(x):
...     return x*(x-1)
...
>>> f1(3)
6
```

They may contain multiple input and/or output variables

```
>>> def f2(x,y):
...     return x+y,x-y
...
>>> f2(3,2)
(5,1)
```

Sven Chilton, 2007

A Brief Python Tutorial 34

Functions (2)

Functions don't need to contain arguments at all:

```
>>> def f3():
...     print 'Hello world'
...
>>> f3()
Hello world
```

The user can set arguments to default values in function definitions:

```
>>> def f4(x,a=1):
...     return a*x**2
...
>>>
```

If this function is called with only one argument, the default value of 1 is assumed for the second argument

```
>>> f4(2)
4
```

However, the user is free to change the second argument from its default value

```
>>> f4(2,a=2) # f4(2,2) would also work
```

Sven Chilton, 2007

A Brief Python Tutorial 35

Functions (3)

Functions need not take just numbers as arguments, nor output just numbers or tuples. Rather, they can take multiple types as inputs and/or outputs.

Examples:

```
>>> arr = arange(4)
>>> f4(arr,a=2) # using the same f4 as on the previous slide
[0,2,8,18,]
>>> def f5(func, list, x):
...     L = []
...     for i in range(len(list)):
...         L.append(func(x+list[i]))
...     arr = array(L)
...     return L,arr
...
>>> L1 = [0.0,0.1,0.2,0.3]
>>> L,arr = f5(exp,L1,0.5)
>>> arr
[ 1.64872127,  1.8221188 ,  2.01375271,  2.22554093,]
```

Note: the function above requires Numeric, NumPy, or a similar package

Sven Chilton, 2007

A Brief Python Tutorial 36

Functions (4)

Anything calculated inside a function but not specified as an output quantity (either with `return` or `global`) will be deleted once the function stops running

```
>>> def f5(x,y):
...     a = x+y
...     b = x-y
...     return a**2,b**2
...
>>> f5(3,2)
(25,1)
```

If we try to call `a` or `b`, we get an error message:

```
>>> a
Traceback (most recent call last):
  File "<stdin>", line 1, in ?
NameError: name 'a' is not defined
```

This brings us to scoping issues, which will be addressed in the next section.

Sven Chilton, 2007

A Brief Python Tutorial 37

Functions: Getting Help

If you forget how to use a standard function, Python's library utilities can help. Say we want to know how to use the function `execfile()`. In this case, Python's `help()` library functions is extremely relevant.

Usage:

```
>>> help(execfile)
```

don't include the parentheses when using the function name as an argument
Entering the above into the interpreter will call up an explanation of the function, its usage, and the meanings of its arguments and outputs. The interpreter will disappear and the documentation will take up the entire terminal. If the documentation takes up more space than the terminal offers, you can scroll through the documentation with the up and down arrow keys. Striking the `q` key will quit the documentation and return to the interpreter.

WARP has a similar library function called `doc()`. It is used as follows:

```
>>> from warp import *
>>> doc(execfile)
```

The main difference between `help()` and `doc()` is that `doc()` prints the relevant documentation onto the interpreter screen.

Sven Chilton, 2007

A Brief Python Tutorial 38

Scope Rules (1)

Python employs the following scoping hierarchy, in decreasing order of breadth:

- Built-in (Python)
 - Predefined names (`len`, `open`, `execfile`, etc.) and types
- Global (module)
 - Names assigned at the top level of a module, or directly in the interpreter
 - Names declared global in a function
- Local (function)
 - Names assigned inside a function definition or loop

Example:

```
>>> a = 2           # a is assigned in the interpreter, so it's global
>>> def f(x):       # x is in the function's argument list, so it's local
...     y = x+a     # y is only assigned inside the function, so it's local
...     return y    # using the sa
...
>>>
```

Sven Chilton, 2007

A Brief Python Tutorial 39

Scope Rules (2)

If a module file is read into the interpreter via `execfile`, any quantities defined in the top level of the module file will be promoted to the top level of the program

As an example: return to our friend from the beginning of the presentation, `script.py`:

```
print 'Hello world'
x = [0,1,2]
>>> execfile('script.py')
Hello world
>>> x
[0,1,2]
```

If we had imported `script.py` instead, the list `x` would not be defined on the top level. To call `x`, we would need to explicitly tell Python its scope, or context.

```
>>> import script
Hello world
>>> script.x
[0,1,2]
```

As we saw on slide 9, if we had tried to call `x` without a context flag, an error message would have appeared

Sven Chilton, 2007

A Brief Python Tutorial 40

Scope Rules (3)

Modules may well contain submodules. Say we have a file named `module.py` which, in its definition, imports a submodule named `submodule`, which in turn contains some quantity named `x`.

```
>>> import module
```

If we load the module this way, we would type the following to call `x`:

```
>>> module.submodule.x
```

We can also import the submodule without importing other quantities defined in `module.py`:

```
>>> from module import submodule
```

In this case, we would type the following to call `x`:

```
>>> submodule.x
```

We would also call `x` this way if we had read in `module.py` with

```
execfile()
```

Sven Chilton, 2007

A Brief Python Tutorial 41

Scope Rules (4)

You can use the same names in different scopes

Examples:

```
>>> a = 2
>>> def f5(x,y)
...     a = x+y    # this a has no knowledge of the global a, and vice-versa
...     b = x-y
...     return a**2,b**2
...
>>> a
2
The local a is deleted as soon as the function stops running
>>> x = 5
>>> import script  # same script as before
Hello world
>>> x
5
>>> script.x      # script.x and x are defined in different scopes, and
[0,1,2]           # are thus different
```

Sven Chilton, 2007

A Brief Python Tutorial 42

Scope Rules (5)

Changing a global name used in a function definition changes the function

Example:

```
>>> a = 2
>>> def f(x):
...     return x+a # this function is, effectively, f(x) = x+2
...
>>> f(4)
6
>>> a = 1
>>> f(4) # since we set a=1, f(x) = x+1 now
5
```

Unlike some other languages, Python function arguments are not modified by default:

```
>>> x = 4
>>> f(x)
5
>>> x
4
```

Sven Chilton, 2007

A Brief Python Tutorial 43

Some Useful Packages and Resources

Useful packages:

- ❑ Numeric – good for numerical algebra, trigonometry, etc. CAUTION: no longer supported
- ❑ NumPy – similar to Numeric, but handles arrays slightly differently and has a few other built-in commands and functions
- ❑ SciPy – useful for numerical integration, ODE solutions, interpolations, etc.: based on NumPy
- ❑ Books:
 - ❑ *Learning Python*, Mark Lutz & David Ascher, O'Reilly Press, 1999
 - ❑ *Programming Python*, Mark Lutz, O'Reilly Press, 2006
 - ❑ *Core Python Programming (2nd Edition)*, Wesley J. Chun, Prentice Hall, 2006
- ❑ Websites:
 - ❑ <http://docs.python.org> - online version of built-in Python function documentation
 - ❑ <http://laurent.pointal.org/python/pgrc> - Python Quick Reference Card
 - ❑ <http://rgruet.free.fr> - long version of Python Quick Reference Card
 - ❑ <http://mail.python.org> - extensive Python forum

Sven Chilton, 2007

A Brief Python Tutorial 44